



Stampede VXL (Model 36076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675** Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926** Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R** Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)
- 3619** Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716** Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
- 3617** Body, Stampede® (clear, requires painting) (requires #3614 to mount)
- 3617R** Body, Stampede® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet
- 2514** Decal sheet, racing sponsors
- 3613R Decal sheets, Stampede® VXL
- 9950** Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede®, Rustler®, Bandit series)
- 3678P** Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit series)
- 4976 Wheels (4)/ axles (2), for Maxx® wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Chassis & Attachments

- 3725X** Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P** Bumper (front) (pink)
- 3622** Main chassis (black)
- 3622A Main chassis (grey)
- 3626 Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
- 3725** Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X** Skid plates, front & rear (blue)
- 3623A** Skid plates, front & rear (green)
- 3623P** Skid plates, front & rear (pink)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede®, Rustler®, Bandit series)

- 3678P** Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit series)
- 4976 Wheels (4)/ axles (2), for Maxx® wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X** Differential output yokes, hardened steel (w/ U-joints) (2)
- 6828X** Differential output yokes, heavy duty (2)/ screw pin (2)
- 1951R** Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
- 1953** Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
- 6752** Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
- 6751** Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X** Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757** Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753** Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 2753X Stub axles, rear (2)
- 6853X** Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

- 3637 Axles (front) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2530** Bulkhead (front) (black)
- 2530A Bulkhead (front) (grey)
- 3644X** Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G** Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644R** Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A** Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632G** Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632P** Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632X** Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 1844 Servo saver
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)

Page 2 Stampede VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

- 3636A **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636P **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3636X **Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 3631 Suspension arms (front) (2)
- 2640 Suspension pins, 44mm (2) w/ e-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 2532 Tie bar, fiberglass
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 3343 Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)

Radio System, Batteries & Chargers

- 2854X 1000mAh 7.4v 2-Cell 25C LiPo Battery
- 2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2857X 6400mAh 11.1v 3-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators (green (4), blue (4), grey (4))
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2922X Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2963X Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
- 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
- 2260 BEC assembly (complete)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas Link™ Wireless Module
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6557 Mount, telemetry expander (fits Stampede® 2WD)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6522 Sensor, RPM (short)/ 3x4mm BCS (2)
- 6521 Sensor, temperature and voltage (long)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
- 6550 Telemetry expander, TQi radio system
- 6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)

Hardware

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1633 E-clips/ C-rings
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)

Motors & Electronics

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 2260 BEC assembly (complete)
- 3342 Bullet connectors, male, 3.5mm (3)/ heat shrink
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 3790 Gear adapter, fixed
- 2072A Gear set (for 2070, 2075 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3626 Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
- 3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®)
- 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))

Page 3 Stampede VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

- 6511 Traxxas Link™ Wireless Module
 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
 6537 Wire retainers, gear cover/ 3x4mm BCS (2)

Ready-To-Race Model

- 36076-4 Stampede® VXL: 1/10 Scale Monster Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 3638 Shock tower (rear)
 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
 2753X Stub axles, rear (2)
 3655X Suspension arms, left & right
 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

Shocks (Aluminum)

- 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 2760 Shock caps, aluminum (2)
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
 2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2765 Shock shafts, steel, chrome finish (X-long) (2)
 4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
 1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
 2666 Big Bore shock cylinder (XX-long) (1)
 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
 2362 Rebuild kit, Ultra shocks (for 2 shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 2667 Shock caps, aluminum (Big Bore Shocks) (2)
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 1765 Silicone diaphragms (4)
 1666 Silicone shock oil (30 wt)
 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
 3765A Body, Ultra Shock(s) (long) (grey) (2)
 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
 2362 Rebuild kit, Ultra shocks (for 2 shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 3767 Shock caps (2)/ shock bottoms (2)

- 8361 Shock caps (black) (4) (assembled with hollow balls)
 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 1765 Silicone diaphragms (4)
 1666 Silicone shock oil (30 wt)
 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
 3758 Springs, front (black) (2)
 3758T Springs, front (blue) (2)
 3758A Springs, front (green) (2)
 3758X Springs, front (white) (2)
 3757 Springs, rear (black) (2)
 3757T Springs, rear (blue) (2)
 3757A Springs, rear (green) (2)
 3757P Springs, rear (pink) (2)
 3757R Springs, rear (red) (2.9 rate) (2)
 3757X Springs, rear (white) (2)
 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (fir) (2)
 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
 2416 Gear, 16-T pinion (48-pitch) / set screw
 1918 Gear, 18-T pinion (48-pitch) / set screw
 2419 Gear, 19-T pinion (48-pitch) / set screw
 2421 Gear, 21-T pinion (48-pitch) / set screw
 2423 Gear, 23-T pinion (48-pitch) / set screw
 2426 Gear, 26-T pinion (48-pitch)/set screw
 2431 Gear, 31-T pinion (48-pitch) / set screw
 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
 4728 Gear, pinion (28-tooth) (48-pitch)/ set screw
 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 5347 Rod ends, Revo® (large) with hollow balls (12)
 1844 Servo saver
 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Suspension Linkage

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Page 4 Stampede VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 1844 Servo saver
- 2640 Suspension pins, 44mm (2) w/ e-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
- 1970 Tires, low-profile spiked 2.2" (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
- 1870 Tires, Sledgehammer terra-spiked (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)

- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (2WD electric rear)
- 5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
- 3673 Wheels, chrome (2.2") (front) (2)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3674 Wheels, dyeable nylon 2.2 (rear) (2)
- 3774 Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

Transmission Components

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 4607 Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
- 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 3696 Idler gear, steel (30-tooth)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Page 5 Stampede VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM