



Summit (Model 56076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5182	Ball bearings, blue rubber sealed (20x27x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
5616	Body mount posts, front & rear (tall, for Summit)
5314	Body mounts, front & rear/ standard Revo body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
4915	Body washers, foam adhesive (10)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
5612	Body, Summit (clear, requires painting)/ window, grille, lights decal sheet (use #5616 body mount posts)
2514	Decal sheet, racing sponsors
5615	Decal sheets, Summit
5618	ExoCage, cross braces/ 3x6mm BCS (12)
5619	ExoCage, side rails/ hardware
5620	ExoCage, Summit (includes all parts and hardware for 1 complete roll cage)
5617	Fender flairs, front & rear (4)/ fender flair retainers, front & rear (4)/ 2.5x6mm CS (22)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)

Bumpers & Skidplates

5335A	Bumper, front (chrome)/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5635	Bumper, front/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5336A	Bumper, rear (chrome)/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5636	Bumper, rear/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5315	Guards, steering servo (2)
5634	Light bar, front bumper (chrome) (1), roof light bar (chrome) (1)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)

Chassis & Attachments

5616	Body mount posts, front & rear (tall, for Summit)
5314	Body mounts, front & rear/ standard Revo body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5630	Bulkhead, front (left & right halves)
5631	Bulkhead, rear (left & right halves)
5632	Chassis brace, rear (fits E-Revo®/Summit)
5622X	Chassis, E-Revo® & Summit/ foam pad
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive blank-out plate, Optidrive sensor cover, shift fork cover)
5627	Door, battery compartment (2) (fits right or left side)
5315	Guards, steering servo (2)
5634	Light bar, front bumper (chrome) (1), roof light bar (chrome) (1)
5629	Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5628	Vent, battery compartment (includes latch) (1 pair, fits left or right side)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5182	Ball bearings, blue rubber sealed (20x27x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)

5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5681	Carrier, differential (heavy duty)/ differential fork/ linkage arms (front & rear)/x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 6.5x10x0.5 TW
5653	Differential CV output drive (machined steel) (1)/ screw pin (with threadlock) (1)/ cross pin (1)/ drive pin (1)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
5382X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)
5678	Gear, locking differential output/ differential slider/ 3x12mm screwpin
5680	Housing, differential (front & rear)
5679	Linkage, locking differential (includes ball cup, linkage wires)/ bellcrank/ bellcrank mount/ 3x10mm SS
5130	Oil, differential (100K weight) (.7 oz (20cc))
5135	Oil, differential (10K weight)
5136	Oil, differential (30K weight)
5137	Oil, differential (50K weight)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)

Driveline Components

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5657	Cross pin (4)/ drive pin (4)/ set screw (4) (to rebuild 2 driveshafts)
5650R	Driveshafts, center E-Revo® (steel constant-velocity) front (1)/ rear (1) (assembled with inner and outer dust boots, for E-Revo & Summit)
5150	E-clips, 1.5mm (24)
5656	Half shaft set, long (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
5655	Half shaft set, short (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)
5650	Half shafts, center (internal splined (3)/ external splined (2)) (plastic parts only)
4955	Pins, axle (2.5x12mm) (4)
5145	Screw pin, 4x15mm (6)
5654	Stub axle, CV style (machined steel) (1)/ cross pin (1)/ drive pin (1)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)

Front Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5630	Bulkhead, front (left & right halves)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5354	Rocker arm post (steel) (2)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)

Page 2 Summit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 56076-4) Parts List

- 5357 **Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)**
- 5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
- 5359 **Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)**
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 5133A **Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)**
- 5133 **Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)**
- 5332 Suspension arm upper (1)/ suspension arm lower (1) (left front)
- 5331 Suspension arms upper (1)/ suspension arm lower (1) (right front)
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
- 5338 Toe link, 5.0mm steel (front or rear) (2)
- 5338A **Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)**
- 5338R **Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**

Hardware

- 1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
- 1834 **Body clips (12) (standard size)**
- 3934 Body clips, heavy duty (12)
- 3182 Collars, screw (2)/ set screws, 3mm (2)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 5478 **Flat wrench, 8mm (blue-anodized aluminum)**
- 3980 Glow plug wrench (universal wrench)
- 2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
- 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 2745 Nuts, 3mm nylon locking (12)
- 3982 PTFE-coated 6x8x0.5 (10)
- 5145 Screw pin, 4x15mm (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 2674 Screws, 2x6mm roundhead self-tapping (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 3159 Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 5142 Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 4978 Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)
- 2581 Screws, 3x25mm button-head machine (hex drive) (6)
- 3963 Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 3964 Screws, 3x32mm cap-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 3933 Screws, 4x16mm button-head machine (hex drive) (6)
- 3940 Screws, 4x4mm button-head machine, aluminum (blue) (hex drive) (6)
- 3939 Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
- 4897 Screws, set (grub) 4mm (6) (with threadlock)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3966 Shoulder screws, 3x10mm (6) (with threadlock)
- 5133A Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
- 5133 **Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)**

LED Lights

- 5684 **LED light bar (chrome) (fits Summit roll cage)/ light harness (4 clear lights)/ harness adapter**
- 5687 LED lights, center harness, Summit (1)/ wire clip (1)
- 5689 LED lights, front harness (4 clear lights), Summit
- 5688 LED lights, rear harness (6 red lights), Summit (1)/ wire clip (1)

Motors & Electronics

- 3019R EVX-2 Electronic Speed Control (land version, low-voltage detection, fwd/rev)
- 2064 Gear set (for 2065 waterproof sub-micro servo)
- 2064X **Gear set, metal (for 2065X waterproof sub-micro servo)**
- 2252 **Gear set, metal (for 2250, 2255 servos)**
- 5661 Motor mount hinge post/ 4x12mm BCS (1)/ 4x10mm CS with split and flat washer (1)
- 5660 Motor mount, finned aluminum
- 5675 Motor, Titan® 775 (10-turn/16.8 volts) (1)
- 2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
- 2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
- 2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
- 2063X **Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)**
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
- 2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
- 2065 Servo, sub-micro, waterproof
- 2065X **Servo, sub-micro, waterproof, metal gear**
- 5696 Y-harness, servo and LED lights (for Summit with TQ 2.4GHz radio system)

Radio System, Batteries & Chargers

- 2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
- 2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
- 2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
- 2976 **AC to DC converter, 40W**
- 2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 **Battery charge indicators (green (4), blue (4), grey (4))**
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 **Battery, Power Cell AA Alkaline (4)**
- 2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
- 2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
- 2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
- 2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
- 2991 **Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))**
- 2734 Cable ties (small) (10)
- 2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
- 2972 **Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification**
- 2973 **Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification**
- 2971 **Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification**
- 2970 **Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification**
- 5632 **Chassis brace, rear (fits E-Revo®/Summit)**
- 6525 **Communication link, telemetry expander**
- 6512 Cover plate, Traxxas Link™ Wireless Module
- 3019R EVX-2 Electronic Speed Control (land version, low-voltage detection, fwd/rev)
- 2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
- 2064 Gear set (for 2065 waterproof sub-micro servo)
- 2064X **Gear set, metal (for 2065X waterproof sub-micro servo)**
- 2252 **Gear set, metal (for 2250, 2255 servos)**
- 2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
- 2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
- 6556 **Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)**

Page 3 Summit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 56076-4) Parts List

6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6522	Sensor, RPM (short)/ 3x4mm BCS (2)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2065	Servo, sub-micro, waterproof
2065X	Servo, sub-micro, waterproof, metal gear
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550	Telemetry expander, TQi radio system
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module

Ready-To-Race Model

56076-4	Summit: 1/10 Scale 4WD Electric Extreme Terrain Monster Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System
---------	--

Rear Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
5631	Bulkhead, rear (left & right halves)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5354	Rocker arm post (steel) (2)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5133A	Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5333R	Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))
5328	Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1))
5327	Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1))

5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Shocks (GTR)

5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks) (6)
5463T	Shaft, GTR shock, TiN-coated (2)
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
1666	Silicone shock oil (30 wt)
5461	Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Slipper Clutch Components

5478	Flat wrench, 8mm (blue-anodized aluminum)
3992	Input shaft/ drive gear assembly (18-tooth steel top gear)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)

Springs

5435	Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436	Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437	Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438	Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439	Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440	Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
5441	Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
5444	Spring, shock (red) (GTR) (5.9 rate blue) (1 pair)
5445	Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
5648	Spring, shock (red) (long) (GTR) (4.9 rate double yellow stripe) (1 pair)
5649	Spring, shock (red) (long) (GTR) (5.4 rate double orange stripe) (1 pair)

Spur Gears & Pinion Gears

5640	Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5643	Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5644	Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5646	Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
4897	Screws, set (grub) 4mm (6) (with threadlock)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3957	Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)
3958	Spur gear, 58-tooth (0.8 metric pitch, compatible with 32-pitch)
3959	Spur gear, 62-tooth (0.8 metric pitch, compatible with 32-pitch)
3960	Spur gear, 65-tooth (0.8 metric pitch, compatible with 32-pitch)
3961	Spur gear, 68-tooth (0.8 metric pitch, compatible with 32-pitch)

Steering Components

5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5345X	Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)

Page 4 Summit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 56076-4) Parts List

2075	Servo, digital high-torque (ball bearing), waterproof
5344	Steering arm (upper & lower)/ servo saver/ servo saver spring/ steering arm shaft
5338	Toe link, 5.0mm steel (front or rear) (2)
Suspension Linkage	
5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5339	Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5469	Rod ends (GTR shocks) (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)
5147X	Nuts, 5mm flanged nylon locking (steel, serrated) (8)
4955	Pins, axle (2.5x12mm) (4)
5666	Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664	Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667	Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665	Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5374A	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
5374X	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx® series)
5673	Tires & wheels, assembled, glued (Geode chrome wheels, Canyon AT tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5674	Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
4973R	Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/Maxx® series)
5174A	Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx® w/sealed pivot ball suspension & Revo®)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Maxx®/Revo® series) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx®/Revo® series)
5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)

5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/Maxx® series)
5171	Tires, Maxx® Chevron 3.8" (2) (fits Revo®/Maxx® series)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
5370	Tires, Talon 3.8" (2)/ foam inserts (2)
4954R	Wheel hubs, hex (steel)
4954X	Wheel hubs, hex, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353G	Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353R	Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5353A	Wheel nuts, splined, 17mm (green-anodized) (4)
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5372A	Wheels, Gemini 3.8" (black chrome) (2)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372	Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx® series)
5671	Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373	Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx® series)
5172A	Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/Maxx® series)
5172X	Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo®/Maxx® series)
5172R	Wheels, SS (split spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/Maxx® series)
5172	Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo®/Maxx® series)

Transmission Components

4614	Ball bearings (6x12x4mm) (2)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive blank-out plate, Optidrive sensor cover, shift fork cover)
5677A	Cover, gear/ 3x8mm CS (1)
5677R	Cover, gear/ 3x8mm CS (1) (for single motor installation, use with motor plate #5690X)
3973	Gear set, close ratio (1st speed gear 21T, 18T input gear)
3974	Gear set, wide ratio (1st speed gear 26T, 13T input gear)
3991X	Gearbox halves (front & rear)/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued/ 2.5x8mm CS (2)
3976	Idler gear, 13T (1st speed gear)
3996X	Idler gear, 20-tooth/ idler gear shaft
3992	Input shaft/ drive gear assembly (18-tooth steel top gear)
5668	Linkage, shift (includes: ball collar, spring, ball cup, servo horn, linkage wire)/ shift servo mount/ 3x8mm BCS (2)
3984X	Output gear, 33-tooth (1)/ spacers (2)
3985X	Output gears, 33T (2)/ drive dog carrier/ output shaft spacer
3969	Output shaft, transmission
5690	Plate, motor
5690X	Plate, motor (for single motor installation, use with gear cover #5677X)
3965	Screws, 2.5x8mm cap-head machine (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
3989X	Shift fork/ shaft
1647	Silicone grease
5692	Two speed conversion kit (E-Revo®) (includes wide and close ratio first gear sets, sub-micro servo, and linkage) (Requires 3 channel transmitter)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip

Page 5 Summit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 56076-4) Parts List

- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 5339 Insert, threaded steel (replacement inserts for TUBES) (includes (1) left and (1) right threaded insert)
- 5341 Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
- 5319X Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
- 5318X Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5319 Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
- 5318 Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
- 5338 Toe link, 5.0mm steel (front or rear) (2)
- 5338A Toe links, Revo® (TUBES 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
- 5338R Toe links, Revo® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM