



Slash 4X4 (Model 68086-24) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 4612** Ball bearings (10x15x4mm) (2)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 3934 Body clips, heavy duty (12)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3934 Body clips, heavy duty (12)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 1815 Body washers (8)
- 4915 Body washers, foam adhesive (10)
- 6716** Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
- 5815** Body, Ford Raptor® (clear, requires painting)
- 5815A** Body, Ford Raptor®, blue (painted, decals applied)
- 5815R** Body, Ford Raptor®, red (painted, decals applied)
- 5815X** Body, Ford Raptor®, white (painted, decals applied)
- 6811** Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet
- 6817** Body, Slash 4X4, Amsoil (painted, decals applied)
- 6831** Body, Slash 4X4, Chad Hord (painted, decals applied)
- 6818** Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)
- 5849** Body, Slash 4X4, Hawaiian graphics (painted, decals applied)
- 6820** Body, Slash 4X4, Jeff Kincaid (painted, decals applied)
- 6825X** Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)
- 6826R** Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)
- 6811X** Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet
- 6889** Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)
- 6849** Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)
- 2514** Decal sheet, racing sponsors
- 6813 Decal sheet, Slash 4X4
- 9950** Official Team Traxxas racing decal set (flag logo/ 6-color)

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893X** Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 7477 Cover, gear/ wire retainer
- 6814** Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ front (1)/screw pin
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883** Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 5148 Grease, white lithium
- 6884** Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460X** Motor mount, 6061-T6 aluminum (blue-anodized)
- 7490 Plate, motor
- 5352R** Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X** Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))

- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351** Slipper pressure plate and hub (alloy)

Chassis & Attachments

- 7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
- 7426X** Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
- 6835 Bumper, front/ bumper mount, front (black)
- 6836 Bumper, rear/ bumper mount, rear (black)
- 7422 Chassis
- 7423 Nerf bars, chassis (2)
- 7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6814** Differential kit, center (complete)
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R** Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
- 6879R** Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6855 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6851R** Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
- 6852R** Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
- 6750** Half shaft, external splined (steel-spline constant-velocity) (1)
- 6751** Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 6757** Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 6754** Stub axle, front, steel-splined constant-velocity (1)
- 6753** Stub axle, rear, steel-splined constant-velocity (1)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

- 2728 Ball bearings (5x8x2.5mm) (2)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823R** Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6830X Bulkhead, front
- 7430 Bulkhead, front
- 6832X** Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue-anodized)
- 6832R** Caster blocks (c-hubs), 6061-T6 aluminum, left & right (red-anodized)

6832	Caster blocks (c-hubs), left & right
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
6839	Shock tower, front
6839X	Shock tower, front, 7075-T6 aluminum (blue-anodized)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X	Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
6837R	Steering blocks, 6061-T6 aluminum, left & right (red-anodized)
6837	Steering blocks, left & right
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
3655X	Suspension arms, left & right
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3935	Body clip (mounting clip), angled, 90-degrees (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2748X	Tool Set (1.5mm & 2.5mm allens/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3340	Cooling fan, Velineon VXL-3s ESC
2072	Gear set (for 2070, 2075 servos)
3354R	Motor cover, endbell (Velineon 3500)
7460	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460X	Motor mount, 6061-T6 aluminum (blue-anodized)
3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
7490	Plate, motor
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)

2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

On-Board Audio System

6581	Double-sided adhesive, sound output module (4)
6587	Mount, sound module, Slash 4X4
6585	Mounts, sound output module, Slash (front & rear)
6580	Sound output module, on-board audio system

Radio System, Batteries & Chargers

2854X	1000mAh 7.4v 2-Cell 25C LiPo Battery
2872X	500mAh 11.1v 3-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
29175	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072	Gear set (for 2070, 2075 servos)
6555	Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
6550	Telemetry expander, TQi radio system
6551	Telemetry GPS module, TQi radio system
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link Wireless Module
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

68086-24 Slash 4X4: 1/10 Scale 4WD Electric Short Course Truck with TQi Traxxas Link Enabled 2.4GHz Radio System, On-Board Audio, & Traxxas Stability Management (TSM)

Rear Suspension

6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
 7429 Bulkhead, rear
1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)
 1952 Carriers, stub axle (rear) (2)
1952A Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)
6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
 6838 Shock tower, rear
6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
 6853X Stub axles, rear, heavy duty (2)/pins (2)
 3655X Suspension arms, left & right
 6834 Suspension pin set, complete (front and rear)
6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shocks (Aluminum)

1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
2760 Shock caps, aluminum (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
2765 Shock shafts, steel, chrome finish (X-long) (2)
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
 1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664 Big Bore shock cylinder (long) (1)
2666 Big Bore shock cylinder (XX-long) (1)
5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362 Rebuild kit, Ultra shocks (for 2 shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
2667 Shock caps, aluminum (Big Bore Shocks) (2)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
 1765 Silicone diaphragms (4)
 1666 Silicone shock oil (30 wt)
2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
 6857 Springs, front (white) (progressive rate) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
 6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3642 Attachment screws, shock (3x12mm shoulder screws) (6)
 3765A Body, Ultra Shock(s) (long) (grey) (2)
 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
 2362 Rebuild kit, Ultra shocks (for 2 shocks)
 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
 2742X Rod ends, short (6)/ hollow balls (6)
 3767 Shock caps (2)/ shock bottoms (2)
3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
 1664 Shock shafts, steel, chrome finish (long) (2)
 2656 Shock shafts, steel, chrome finish (xx-long) (2)
7461X Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462X Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
 1765 Silicone diaphragms (4)
 1666 Silicone shock oil (30 wt)
 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863 Springs, front (progressive, +10% rate, pink) (2)
6864 Springs, front (progressive, +20% rate, blue) (2)
6862 Springs, front (progressive, -10% rate, green) (2)
6861 Springs, front (progressive, -20% rate, orange) (2)
 6857 Springs, front (white) (progressive rate) (2)
6867 Springs, rear (progressive, +10% rate, pink) (2)
6868 Springs, rear (progressive, +20% rate, blue) (2)
6866 Springs, rear (progressive, -10% rate, green) (2)
6865 Springs, rear (progressive, -20% rate, orange) (2)
 6858 Springs, rear (white) (progressive rate) (2)
3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6814 Differential kit, center (complete)
 6888 Drive hub, center, rear (1)/ front (1)/screw pin
 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
 6878 Slipper clutch, complete
 5556 Slipper pressure plate & hub (aluminum alloy)
5351 Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

7477 Cover, gear/ wire retainer
3942 Gear, 12-T pinion (32-p) (mach. steel)/ set screw
3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
 3943 Gear, 13-T pinion (32-p) (mach. steel)/ set screw
3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944 Gear, 14-T pinion (32-p) (mach. steel)/ set screw
3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw

3945	Gear, 15-T pinion (32-p) (mach. steel)/ set screw	5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3946	Gear, 16-T pinion (32-p) (mach. steel)/ set screw	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3948	Gear, 18-T pinion (32-p) (mach. steel)/ set screw	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5863	Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3949	Gear, 19-T pinion (32-p) (mach. steel)/ set screw	5887	Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
3950	Gear, 20-T pinion (32-p) (mach. steel)/ set screw	5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
3951	Gear, 21-T pinion (32-p) (mach. steel)/ set screw	5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3952	Gear, 22-T pinion (32-p) (mach. steel)/set screw	5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)	6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)	5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)	6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
2728	Ball bearings (5x8x2.5mm) (2)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler/ Bandit/ Stampede)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
1647	Silicone grease	6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
2754	Stub axle pins (4)	6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)		
5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)		

- 5871R **Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)**
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 6856X **Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm**
- 5353 **Wheel nuts, splined, 17mm (blue-anodized) (4)**
- 5480X **Wheel wrench, splined, 17mm**
- 5868X **Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 5868 **Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**
- 5872 **Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)**
- 5872X **Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**
- 5872A **Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**
- 5884A **Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 5884 **Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)**
- 6872X **Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 6872A **Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 6872 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**

Turnbuckles & Threaded Rods

- 5525 Rod ends (12)/ hollow balls (12)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM