



# 1/16 Summit (Model 72054-5) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 5114** Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 7215 Body mounts, front & rear
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716** Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)
- 7211** Body, 1/16 Summit (clear, requires painting)/ grille, lights decal sheet
- 7217 Body, 1/16 Summit (painted, decals applied)
- 2514 Decal sheet, racing sponsors
- 7213 Decal sheets, 1/16th Summit VXL
- 7220 ExoCage, 1/16th Summit (includes mounting hardware)
- 7221 Light bar, roof (chrome)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)

## Bumpers & Skidplates

- 7235 Bumper, front (1)/ rear (1)/ bumper mount, rear (1)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering servo guards (2) / steering servo cover plate (1)

## Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7024X Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone grease/ 2.5x8 CS (4)/ 3x4 GS (1)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7184** Wheelie bar, assembled

## Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (4)
- 7078 Differential assembly (complete)
- 7014** Differential kit, center (complete)
- 7381 Differential locker (2)
- 5136X** Differential oil kit (1 each: 10K, 30K, 50K weights)
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130** Oil, differential (100K wt) (0.7 oz (20cc))
- 5135** Oil, differential (10K wt)
- 5136 Oil, differential (30K wt)
- 5039** Oil, differential (500K wt)
- 5137** Oil, differential (50K wt)
- 7014X** Rebuild kit, center differential (includes o-rings and diff gear covers)
- 7079 Ring gear, differential/ pinion gear, differential

## Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7250 Driveshaft assembly, inner (1) (fits front & rear, differential side)
- 7251 Driveshaft assembly, outer (1) (fits front & rear, stub axle side)
- 7250R** Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft) (2))/ metal u-joints (4)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X** Wheel hubs, hex, aluminum (blue-anodized) (4)
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

## Front Suspension

- 7033X** Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- Bulkhead, front (left & right halves)/ 3x10mm BCS (4)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined)
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7118G** Push rod (molded composite) (green) (4)/ hollow balls (8)
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X** Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
- 7155 Rocker arm post, steel (4)
- 7156 Rocker arm set, long travel/ plastic bushings (8)
- 7158** Rocker arm set, progressive-2/ plastic bushings (8)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7131 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)

## Hardware

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 5114** Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1834 Body clips (12) (standard size)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R** Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G** Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T** Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P** Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747A** Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 7155 Rocker arm post, steel (4)
- 7059** Rod ends (8)/ hollow balls (8)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2526 Screws, 2.5x12mm countersunk machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 3159 Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)

## LED Lights

- 6549** Connector, power tap (with voltage sensor)/ wire tie/ 2.6x8 BCS (2)
- 7287 LED light bar, roof (chrome)/ light harness (4 clear, 2 red)/ wire tie mount (2)/ wire tie (3) (requires power supply #7286A)
- 7285A LED light kit, 1/16th Summit (power supply, chrome lightbar, roof light harness (4 clear, 2 red), chassis harness (4 clear, 2 red), wire ties, mounts)
- 7288 LED lights, chassis harness (4 clear, 2 red) (1)/ wire tie (3) (requires power supply #7286A)
- 7286A LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)

## Motors & Electronics

- 2082 Gear set (for 2080 micro waterproof servo)
- 2082A** Gear set (for 2080A micro waterproof servo)

**Page 2 1/16 Summit: TQ 2.4 Radio (Model 72054-5) Parts List**

2082X 3374	Gear set, metal (for 2080X micro waterproof servo) Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)
7060 7360 3785	Motor mount, finned aluminum Motor mount, finned aluminum (for 550 motors) Motor, Titan® 12T (12-Turn, 550 size)
3371	Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors)
7090 7380	Plate, motor Plate, motor (for 550 motor)
2081	Servo case/ gaskets (for 2080 micro waterproof servo)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080	Servo, micro, waterproof
2080A	Servo, micro, waterproof
2080X 3370	Servo, micro, waterproof, metal gear Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon 380 motor)
3375 3024R	VXL-3m Electronic Speed Control, waterproof (brushless) XL 2.5 Electronic Speed Control, waterproof

**Radio System, Batteries & Chargers**

2820X 2976	2200mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 2925X 2921X	Battery, Power Cell AA Alkaline (4) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Charger, A/C, 350 mAh (6 cell, NiMH)
2974	Charger, DC, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978 2082	Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2080 micro waterproof servo)
2082A	Gear set (for 2080A micro waterproof servo)
2082X	Gear set, metal (for 2080X micro waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6522	Sensor, RPM (short)/ 3x4mm BCS (2)
6523	Sensor, temperature and voltage (short)
2081	Servo case/ gaskets (for 2080 micro waterproof servo)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080	Servo, micro, waterproof
2080A	Servo, micro, waterproof
2080X 6538	Servo, micro, waterproof, metal gear Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
2928	Temperature sensor, EZ-Peak Plus
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3375	VXL-3m Electronic Speed Control, waterproof (brushless)
3064X	Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only)
3024R	XL 2.5 Electronic Speed Control, waterproof

**Ready-To-Race Model**

72054-5	Summit: 1/16-Scale 4WD Electric Extreme Terrain Monster Truck with TQ 2.4GHz radio system
---------	---

**Rear Suspension**

7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
7034	Axle carriers, left & right (2 each)
7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7029X	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
7028	Hollow balls (20)
7028X	Hollow balls, steel (machined)
7033	Pivot balls (4)/ pivot ball caps (4)
7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7155	Rocker arm post, steel (4)
7156	Rocker arm set, long travel/ plastic bushings (8)
7158	Rocker arm set, progressive-2/ plastic bushings (8)
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7132R	Suspension arm set, rear, extended wheelbase (lengthens wheelbase 10mm) (includes upper right & left and lower right & left arms)
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

**Shock Oil**

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

**Shocks (GTR)**

7066X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
7066	Body, GTR shock (molded composite) (2)
7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7028	Hollow balls (20)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
7063	Shaft, GTR shock (2)
7063T	Shaft, GTR shock (TiN-coated) (4)
7061	Shocks, GTR composite (assembled, without springs) (2)
7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)

**Slipper Clutch Components**

7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
------	---

**Springs**

7145	Spring, shock (GTR) (1.76 rate, orange) (1 pair)
7146	Spring, shock (GTR) (1.92 rate, green) (1 pair)
7147	Spring, shock (GTR) (2.06 rate, tan) (1 pair)
7148	Spring, shock (GTR) (2.22 rate, black) (1 pair)
7244	Spring, shock (GTR) (2.77 rate, pink) (1 pair)
7245	Spring, shock (GTR) (2.925 rate, blue) (1 pair)
7246	Spring, shock (GTR) (3.2 rate, purple) (1/16 Summit) (1 pair)
7244A	Spring, shock (nickel finish) (GTR) (2.77 rate, pink) (1 pair)
7245A	Spring, shock (nickel finish) (GTR) (2.925 rate, blue) (1 pair)

**Spur Gears & Pinion Gears**

2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
7045R	Spur gear, 45-tooth
7046R	Spur gear, 50-tooth
7047R	Spur gear, 55-tooth

### Steering Components

- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

### Suspension Linkage

- 7028 Hollow balls (20)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

### Tires & Wheels

- 7265 **Tires & wheels, assembled (gray wheels (dual profile, 1.5" outer and 2.2" inner), dual profile tires) (2)**
- 7277 **Tires and wheels, assembled, glued (Geode black, beadlock style wheels, Canyon AT tires, foam inserts) (1 left, 1 right)**
- 7274 Tires and wheels, assembled, glued (Geode chrome, blue beadlock style wheels, Canyon AT tires, foam inserts) (1 left, 1 right)
- 7272 Tires and wheels, assembled, glued (Geode chrome, red beadlock style wheels, Canyon AT tires, foam inserts) (1 left, 1 right)
- 7276 Tires and wheels, assembled, glued (Geode chrome, yellow beadlock style wheels, Canyon AT tires, foam inserts) (1 left, 1 right)
- 7270 Tires, Canyon AT 2.2" (2)/ foam inserts (2)
- 7267 **Tires, dual profile (1.5" outer and 2.2" inner) (left and right)**
- 7266 **Wheels, dual profile (1.5" outer and 2.2" inner) (2)**
- 7273 Wheels, Geode 2.2" (chrome, blue beadlock style) (12mm hex) (2)
- 7271 Wheels, Geode 2.2" (chrome, red beadlock style) (12mm hex) (2)
- 7275 Wheels, Geode 2.2" (chrome, yellow beadlock style) (12mm hex) (2)

### Transmission Components

- 7077R Cover, gear/ motor mount hinge post/ 3x10mm CS with split and flat washers (1)/ 3x8mm BCS (1)
- 7014 **Differential kit, center (complete)**
- 7093 Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
- 7091 Gearbox halves, front & rear
- 7092 Input shaft/ output shaft
- 7060 **Motor mount, finned aluminum**
- 7360 Motor mount, finned aluminum (for 550 motors)
- 7090 **Plate, motor**
- 7380 Plate, motor (for 550 motor)
- 7014X **Rebuild kit, center differential (includes o-rings and diff gear covers)**
- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)

### Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8721 **Speed bit handle, medium (one piece)**
- 8720 **Speed bit handle, premium, large (rubber overmold)**
- 8722 **Speed bit handle, premium, medium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**

- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

### Turnbuckles & Threaded Rods

- 7028 Hollow balls (20)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**