

Factory Five '33 Hot Rod Coupe (Model 93044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	8334R	rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front &
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)		rear)/ hinge pin retainers (12)/ inserts (6)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
5114 5105	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (6x10x3mm) (2)	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
5103	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
0110		8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
	Body & Accessories	8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering
9333	Body, Factory Five '33 Hot Rod Coupe (clear, requires painting)/ foam pads (front & rear)/ decal sheet (includes front grille, side	8343	Steering bellcranks/ hardware
	mirrors, headlights, tail lights, mounting hardware)	8337	Steering block (2)
9333X	Body, Factory Five '33 Hot Rod Coupe, complete (blue) (painted,	2754	Stub axle pins (4)
	decals applied) (includes front grille, side mirrors, headlights, tail	8354	Stub axles (front or rear) (2)
00000	lights, foam pads)	9330 8340	Suspension arms, front (2) Suspension pin set, complete (front & rear)
9333R	Body, Factory Five '33 Hot Rod Coupe, complete (red) (painted, decals applied) (includes front grille, side mirrors, headlights, tail	8342	Toe links, steel (34mm) (2)
	lights, foam pads)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
9336	Grille, Factory Five '33 Hot Rod Coupe/ grille mount/ 2.6x8 BCS (5)		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
9334	Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/		aluminum wrench
	1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
9339	Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
	1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	Brake Components		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8367	Brake calipers (red), front (2)/ rear (2)		aluminum wrench
8356	Wheel hubs, hex (disc brake rotors) (4)		Hardware
	Center Driveline	1834A	Body clips, black (12) (standard size)
8381	Housing, differential (front)	8347	Nuts, 4mm flanged ny lon locking, serrated (black) (10)
8380	Housing, differential (rear)	5347	Rod ends, Revo® (large) with hollow balls (12)
	Chassis & Attachments	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
9324	Battery hold-down/ battery clip/ hold-down post/ screw pin/ piv ot post	3236 3215	Screws, 2.5x12mm cap-head machine (6)
	screw/ foam spacer	2577	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)
9325	Body post, rear/ body washers, foam (2)/ piv ot (2)	2587	Screws, 3x10mm cap-head machine (6) (no washer)
8924	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x15 CCS (3)	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
9322	Chassis (247mm)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
8321	Chassis brace (front)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
8323	Gear cov er (rear chassis brace)/ wire retainer	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
9338	Shock towers, front & rear	2593 2579	Screws, 3x14mm button-head machine (hex driv e) (6) Screws, 3x15mm button-head machine (hex driv e) (6)
9323	Skidplate, front/ serv o mounts, steering (2)	2579	Screws, 3x15mm countersunk machine (fiex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive)
	Differential Components	8356	Wheel hubs, hex (disc brake rotors) (4)
5381	Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW		LED Lights
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)	9385	LED light harness/ power harness/ zip ties (9)/ mounts (2)
8381	Housing, differential (front)	9303	
8380	Housing, differential (rear)		Motors & Electronics
8379 6879R	Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral	2260	BEC assembly (complete)
00/31	cut) (rear)	2072A	Gear set (for 2070, 2075 servos)
6879	Ring gear, differential/ pinion gear, differential (rear)	3354R 3785	Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size)
	Driveline Components	8390	Plate, motor
8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw	2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)
OOOOA	pins (2)	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8353	Driv e cups, inner (2)/ screw pins (2)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
9356	Driv eshaft, center, steel (278mm)/ pin/ support, center driv eshaft/	00455	(1))
0070	5x11x4 bearing	8345R 8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering
8350	Driv eshaft, front (2) Driv eshaft, rear (2)	2075R	Servo saver, servo saver spring, servo norn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof
8351 8350X		2075K 2075	Servo, digital high-torque (ball bearing), waterproof
8351X	Driveshafts, steel constant-velocity (assembled), front (2) Driveshafts, steel constant-velocity (assembled), rear (2)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8382	O-rings (12)	3350R	Velineon® VXL-3s Brushless Power System, waterproof
2754	Stub axle pins (4)		(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
8354	Stub axles (front or rear) (2)	22550	speed control mounting plate (part #3725R))
8356	Wheel hubs, hex (disc brake rotors) (4)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
	Front Suspension & Steering	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
8330	Bulkhead, front		detection, fwd/rev/brake)
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		Radio System, Batteries & Chargers
	Caster blocks (a bubs) (2)/ kinggin bushings (4)		
8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)	2842Y	5000mAh 7 4v 2-Call 25C LiPo Battery
8332 8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery
8332	, ,,, ,,	2842X 2843X 2869X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery

Page 2	Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio	(Model 9	93044-4) Parts List
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
	6530 transmitters)	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
2914 2923X	Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	5347	rear)/ hinge pin retainers (12)/ inserts (6) Rod ends, Revo® (large) with hollow balls (12)
2923X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	2754	Stub axle pins (4)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8354	Stub axles (front or rear) (2)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8340	Suspension pin set, complete (front & rear)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
2260 2969	BEC assembly (complete) Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)		aluminum wrench
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification		Shock Oil
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- -	Battery Identification	5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2970	Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2310	Battery Identification	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
6525	Communication link, telemetry expander	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6512	Cover plate, Traxxas Link™ Wireless Module	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2978 2072A	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	3030X	80 wt premium shock oils with spinning carousel rack)
2968X	Gear set (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for	1667	Silicone shock oil (30 wt), 60cc
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	5038	Spinning carousel rack Shocks (GTR)
0500	Traxxas® iD® batteries)	7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls
6560 6535	Mount, telemetry expander (fits 4-Tec® 2.0) Mount, temperature sensor (electric motors)/ wire tie/ thermal	7028	(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow balls (20)
	pad	7028X	Hollow balls, steel (machined)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)	7062 6961	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks) Shaft, GTR shock, steel (2)
6526	Sensor, auto-detectable, temperature	6961T	Shaft, GTR shock, TiN-coated (2)
6527	Sensor, auto-detectable, voltage	9360	Shocks, GTR composite, front or rear (assembled, without springs)
6521 2074	Sensor, temperature and voltage (long) Serv o case/gaskets (for 2056 and 2075 waterproof servos)		(2)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))		Springs
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))	9361	Springs, shock (red) (1.029 rate) (2) Spur Gears & Pinion Gears
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	2728	Ball bearings (5x8x2.5mm) (2)
8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering	8323	Gear cov er (rear chassis brace)/ wire retainer
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof	1918	Gear, 18-T pinion (48-pitch) / set screw
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2419	Gear, 19-T pinion (48-pitch) / set screw
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	2421	Gear, 21-T pinion (48-pitch) / set screw
6550X	Telemetry expander 2.0, TQi radio system (for use only with	2422 2423	Gear, 22-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw
CEEAV	#6551X GPS module)	2423	Gear, 24-T pinion (48-pitch) / set screw
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	2426	Gear, 26-T pinion (48-pitch)/set screw
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	4725	Gear, pinion (25-tooth) (48-pitch) / set screw
05070	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	4728 8359	Gear, pinion (28-tooth) (48-pitch)/ set screw Spur gear, 62-tooth
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)	8357 8368	Spur gear, 70-tooth Spur gear, 72-tooth (48 pitch)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		Steering Components
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
6529	channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
CE20	channel (transmitter only)	8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)	8344	Serv o saver rights, auditificant, red-anounzed (fiex (1), serrated (1)) Serv o saver/ serv o saver spring/ serv o horn, steering
6511	Traxxas Link™ Wireless Module	8343	Steering bellcranks/ hardware
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	8342	Toe links, steel (34mm) (2)
	detection, fwd/rev/brake)		Suspension Linkage
	Ready-To-Race Model	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
93044-4	Factory Five '33 Hot Rod Coupe: 1/10 Scale AWD Electric Supercar with TQ 2.4GHz radio system	5347 8341X	Rod ends, Revo® (large) with hollow balls (12) Turnbuckles, aluminum (blue-anodized), camber links, 32mm
	Rear Suspension		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8329	Bulkhead, rear	8341G	aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm

aluminum wrench

8352 8334 Carriers, stub axle (left & right)
Mounts, suspension arms (front & rear)/ hinge pin retainers (4)

Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

Page 3 Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio (Model 93044-4) Parts List

8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

	aluminum wrench
	Team Traxxas Items
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
9372	Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (front) (2)
9373	Tires and wheels, assembled, glued (black with chrome wheels, 1.9"
9313	Response tires) (extra wide, rear) (2)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
	7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
	includes premium handle (medium), travel pouch, hex drivers
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
	2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
07.10	drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
	2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	urivers/ zmm, -mm, and smm sioned screwurivers/ #00 Pmmps,

Turnbuckles & Threaded Rods

driver handle

#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/

	Turnduckies & Threaden Rous
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342 8341X	Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM